

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/14/2019

Reviewed on 03/14/2019

1 Identification

- **Product Identifier**
- **Trade Name:** 12-12-12-180B-VPG
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description:** Fertilizer
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**
Florikan ESA, LLC
6801 Energy Ct. Suite 100
Sarasota, FL 34234
Ph: 941-379-4048 ext 332
Fax: 941-377-3633
Email product info: Doug Cabe; dcabe@florikan.com
- **Emergency telephone number:** Chemtrec 1-800-424-9300 or outside USA 1-703-527-3887

www.Florikan.com**2 Hazard(s) Identification**

- **Classification of the substance or mixture:**



STOT SE 3	H335 May cause respiratory irritation.
Eye Irrit. 2B	H320 Causes eye irritation.
Aquatic Acute 3	H402 Harmful to aquatic life.
Aquatic Chronic 3	H412 Harmful to aquatic life with long lasting effects.

- **Label elements:**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms:**



GHS07

- **Signal word:** Warning
- **Hazard-determining components of labeling:**
Ammonium phosphate monobasic
Magnesium Sulphate
- **Hazard statements:**
H320 Causes eye irritation.
H335 May cause respiratory irritation.
H402 Harmful to aquatic life.
H412 Harmful to aquatic life with long lasting effects.
- **Precautionary statements:**
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 Wash thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

(Contd. on page 2)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/14/2019

Reviewed on 03/14/2019

Trade Name: 12-12-12-180B-VPG

- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P312 Call a poison center/doctor if you feel unwell.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Unknown acute toxicity:**

This value refers to knowledge of known, established toxicological or ecotoxicological values.
6.4 % of the mixture consists of component(s) of unknown toxicity.

· **Classification system:** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme

· **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**



· **Hazard(s) not otherwise classified (HNOC):** None known

3 Composition/Information on Ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of substances listed below with non-hazardous additions.

· **Dangerous Components:**

CAS: 7722-76-1	Ammonium phosphate monobasic ⚠ Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	15-35%
CAS: 7487-88-9 RTECS: OM 4500000	Magnesium Sulphate ⚠ STOT SE 3, H335	2-12%
CAS: 7720-78-7 RTECS: NO 8510000	iron sulphate ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319	≤2.5%
CAS: 7758-99-8 RTECS: GL 8800000	Copper Sulfate Pentahydrate ⚠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302	≤2.5%
CAS: 7733-02-0	Zinc Sulphate (anhydrous) ⚠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302	≤2.5%

· **Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-Aid Measures

· **Description of first aid measures**

· **General information:**

Symptoms of poisoning may occur after exposure to dust, fumes or particulates; seek medical attention if feeling unwell.

(Contd. on page 3)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/14/2019

Reviewed on 03/14/2019

Trade Name: 12-12-12-180B-VPG

· **After inhalation:**

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist.
In case of unconsciousness place patient stably in the side position for transportation.

· **After skin contact:**

Wash with soap and water.
If skin irritation occurs, consult a doctor.

· **After eye contact:**

If easy to do so, remove contact lenses if worn.
If eye irritation occurs, consult a doctor.
Rinse opened eye for several minutes under running water.

· **After swallowing:** If swallowed and symptoms occur, consult a doctor.

· **Information for doctor**

· **Most important symptoms and effects, both acute and delayed:** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

5 Fire-Fighting Measures

· **Extinguishing media**

· **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

· **For safety reasons unsuitable extinguishing agents:** No further relevant information.

· **Special hazards arising from the substance or mixture:** No further relevant information available.

· **Advice for firefighters**

· **Special protective equipment for firefighters:**

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

· **Personal precautions, protective equipment and emergency procedures:** Not required.

· **Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/surface or ground water.

· **Methods and material for containment and cleaning up:**

Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
Dispose of the collected material according to regulations.

· **Reference to other sections:**

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

· **Protective Action Criteria for Chemicals**

· **PAC-1:**

7778-80-5	Potassium Sulfate	20 mg/m ³
7722-76-1	Ammonium phosphate monobasic	17 mg/m ³
7487-88-9	Magnesium Sulphate	20 mg/m ³
7720-78-7	iron sulphate	8.2 mg/m ³
10034-96-5	Manganese(II) Sulfate Monohydrate	9.2 mg/m ³
7758-99-8	Copper Sulfate Pentahydrate	12 mg/m ³
7733-02-0	Zinc Sulphate (anhydrous)	15 mg/m ³

(Contd. on page 4)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/14/2019

Reviewed on 03/14/2019

Trade Name: 12-12-12-180B-VPG

· PAC-2:		
7778-80-5	Potassium Sulfate	220 mg/m ³
7722-76-1	Ammonium phosphate monobasic	190 mg/m ³
7487-88-9	Magnesium Sulphate	220 mg/m ³
7720-78-7	iron sulphate	41 mg/m ³
10034-96-5	Manganese(II) Sulfate Monohydrate	15 mg/m ³
7758-99-8	Copper Sulfate Pentahydrate	32 mg/m ³
7733-02-0	Zinc Sulphate (anhydrous)	97 mg/m ³
· PAC-3:		
7778-80-5	Potassium Sulfate	1,300 mg/m ³
7722-76-1	Ammonium phosphate monobasic	1,100 mg/m ³
7487-88-9	Magnesium Sulphate	1,300 mg/m ³
7720-78-7	iron sulphate	250 mg/m ³
10034-96-5	Manganese(II) Sulfate Monohydrate	90 mg/m ³
7758-99-8	Copper Sulfate Pentahydrate	190 mg/m ³
7733-02-0	Zinc Sulphate (anhydrous)	580 mg/m ³

7 Handling and Storage

- **Handling**
- **Precautions for safe handling:**
Avoid creating and breathing dust/fume/gas/mist/vapors/spray.
Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s):** No further relevant information available.

8 Exposure Controls/Personal Protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**
- **Components with occupational exposure limits:**
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
At this time, the other constituents have no known exposure limits.

7720-78-7 iron sulphate	
REL	Long-term value: 1 mg/m ³ as Fe
TLV	Long-term value: 1 mg/m ³ as Fe

- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
(Contd. on page 5)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/14/2019

Reviewed on 03/14/2019

Trade Name: 12-12-12-180B-VPG

- **Exposure controls:**
- **Personal protective equipment**
- **General protective and hygienic measures:**
 - Keep away from foodstuffs, beverages and feed.
 - Immediately remove all soiled and contaminated clothing and wash before reuse.
 - Wash hands before breaks and at the end of work.
 - Avoid contact with the eyes.
- **Breathing equipment:** Not required.
- **Protection of hands:** Not required.
- **Material of gloves:** Not applicable.
- **Penetration time of glove material:** Not applicable.
- **Eye protection:**



Tightly sealed goggles

- **Limitation and supervision of exposure into the environment:**
 - Keep away from drains, surface and ground waters.
 - Avoid release into the environment.

9 Physical and Chemical Properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
 - Form:** Granulate
 - Color:** Grey
- **Odor:** Slight
- **Odor threshold:** Not determined.
- **pH-value:** Not applicable.
- **Change in condition**
 - Melting point/Melting range:** Not determined.
 - Boiling point/Boiling range:** $\geq 1,689^{\circ}\text{C}$ ($\geq 3,072.2^{\circ}\text{F}$)
- **Flash point:** None
- **Flammability (solid, gaseous):** Not determined.
- **Ignition temperature:** Not applicable
- **Decomposition temperature:** Not determined.
- **Auto igniting:** Product is not self-igniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**
 - Lower:** Not determined.
 - Upper:** Not determined.
- **Vapor pressure:** Not applicable.
- **Density:**
 - Relative density:** Not determined.
 - Vapor density:** Not applicable.

(Contd. on page 6)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/14/2019

Reviewed on 03/14/2019

Trade Name: 12-12-12-180B-VPG

- **Evaporation rate:** Not applicable.
- **Solubility in / Miscibility with:**
 - Water:** Insoluble.
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
 - Dynamic:** Not applicable.
 - Kinematic:** Not applicable.
- **Solvent content:**
 - VOC content:** 0.00 %
- **Solids content:** 100.0 %
- **Other information:** No further relevant information available.

10 Stability and Reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological Information

- **Information on toxicological effects:**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

7778-80-5 Potassium Sulfate

Oral	LD50	6,600 mg/kg (Rat)
Inhalative	LC50/96 hours	680 mg/l (Pimephales)

7722-76-1 Ammonium phosphate monobasic

Oral	LD50	5,750 mg/kg (Rat)
Dermal	LD50	7,640 mg/kg (Rabbit)

7487-88-9 Magnesium Sulphate

Oral	LD50	>2,000 mg/kg (Rat)
Inhalative	LC50/4 h	>2,000 mg/l (Rabbit)
	LC50/96 hours	2,820 mg/l (Pimephales)

7720-78-7 iron sulphate

Oral	LD50	1,520 mg/kg (Mouse)
------	------	---------------------

7758-99-8 Copper Sulfate Pentahydrate

Oral	LD50	300 mg/kg (Rat)
------	------	-----------------

- **Primary irritant effect:**
- **On the skin:** No irritating effect.
- **On the eye:** Irritating effect.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:

(Contd. on page 7)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/14/2019

Reviewed on 03/14/2019

Trade Name: 12-12-12-180B-VPG

Irritant

· **Carcinogenic categories:**

· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

· **NTP (National Toxicology Program):**

None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

12 Ecological Information

· **Toxicity:**

· **Aquatic toxicity:**

Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.

7487-88-9 Magnesium Sulphate

EC50 2,700 mg/l (Green algae)

343.56 mg/l (Water flea)

· **Persistence and degradability:** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential:** No further relevant information available.

· **Mobility in soil:** No further relevant information available.

· **Ecotoxicological effects:**

· **Remark:** Harmful to fish

· **Additional ecological information:**

· **General notes:**

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

· **Results of PBT and vPvB assessment:**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects:** No further relevant information available.

13 Disposal Considerations

· **Waste treatment methods**

· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Observe all federal, state and local environmental regulations when disposing of this material.

· **Uncleaned packaging**

· **Recommendation:** Disposal must be made according to official regulations.

14 Transport Information

· **UN-Number:**

· **DOT, ADR/ADN, ADN, IMDG, IATA**

Non-Regulated Material

· **UN proper shipping name:**

· **DOT, ADR/ADN, ADN, IMDG, IATA**

Non-Regulated Material

(Contd. on page 8)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/14/2019

Reviewed on 03/14/2019

Trade Name: 12-12-12-180B-VPG

- **Transport hazard class(es):**
- **DOT, ADR/ADN, ADN, IMDG, IATA**
- **Class:** Non-Regulated Material
- **Packing group:**
- **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material
- **Environmental hazards:** Not applicable.
- **Special precautions for user:** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.
- **UN "Model Regulation":** Non-Regulated Material

15 Regulatory Information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
- **SARA (Superfund Amendments and Reauthorization):**

- **Section 355 (extremely hazardous substances):**

7720-78-7	iron sulphate
-----------	---------------

- **Section 313 (Specific toxic chemical listings):**

10034-96-5	Manganese(II) Sulfate Monohydrate
------------	-----------------------------------

7758-99-8	Copper Sulfate Pentahydrate
-----------	-----------------------------

7733-02-0	Zinc Sulphate (anhydrous)
-----------	---------------------------

- **TSCA (Toxic Substances Control Act):**

7778-80-5	Potassium Sulfate	ACTIVE
7722-76-1	Ammonium phosphate monobasic	ACTIVE
7487-88-9	Magnesium Sulphate	ACTIVE
7720-78-7	iron sulphate	ACTIVE
1332-58-7	Kaolin	ACTIVE
15708-41-5	EDTA feric sodium complex	ACTIVE
25791-96-2	Poly(oxypropylene) triol	ACTIVE
1332-58-7	Kaolin	ACTIVE
7733-02-0	Zinc Sulphate (anhydrous)	ACTIVE

- **Hazardous Air Pollutants**

10034-96-5	Manganese(II) Sulfate Monohydrate
------------	-----------------------------------

- **California Proposition 65:**

- **Chemicals known to cause cancer:**

None of the ingredients are listed.

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

- **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

- **New Jersey Right-to-Know List:**

7720-78-7	iron sulphate
-----------	---------------

1332-58-7	Kaolin
-----------	--------

(Contd. on page 9)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/14/2019

Reviewed on 03/14/2019

Trade Name: 12-12-12-180B-VPG

1332-58-7	Kaolin	
7733-02-0	Zinc Sulphate (anhydrous)	
· New Jersey Special Hazardous Substance List:		
None of the ingredients are listed.		
· Pennsylvania Right-to-Know List:		
7720-78-7	iron sulphate	
1332-58-7	Kaolin	
1332-58-7	Kaolin	
7733-02-0	Zinc Sulphate (anhydrous)	
· Pennsylvania Special Hazardous Substance List:		
7720-78-7	iron sulphate	E
7733-02-0	Zinc Sulphate (anhydrous)	E
· Carcinogenic categories:		
· EPA (Environmental Protection Agency):		
10034-96-5	Manganese(II) Sulfate Monohydrate	D
7733-02-0	Zinc Sulphate (anhydrous)	D, I, II
· TLV (Threshold Limit Value established by ACGIH):		
1332-58-7	Kaolin	2 mg/m ³
1332-58-7	Kaolin	2 mg/m ³
· NIOSH-Ca (National Institute for Occupational Safety and Health):		
None of the ingredients are listed.		

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



GHS07

· Signal word: Warning

· Hazard-determining components of labeling:

Ammonium phosphate monobasic

Magnesium Sulphate

· Hazard statements:

H320 Causes eye irritation.

H335 May cause respiratory irritation.

H402 Harmful to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements:

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 10)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/14/2019

Reviewed on 03/14/2019

Trade Name: 12-12-12-180B-VPG

P312	Call a poison center/doctor if you feel unwell.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

· **National regulations:**

None of the ingredients are listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· **Date of preparation / last revision:** 03/14/2019 / -

· **Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road
 ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 ACGIH: American Conference of Governmental Industrial Hygienists
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 NFPA: National Fire Protection Association (USA)
 HMIS: Hazardous Materials Identification System (USA)
 VOC: Volatile Organic Compounds (USA, EU)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 NIOSH: National Institute for Occupational Safety and Health
 OSHA: Occupational Safety & Health Administration
 TLV: Threshold Limit Value
 PEL: Permissible Exposure Limit
 REL: Recommended Exposure Limit
 Acute Tox. 4: Acute toxicity – Category 4
 Skin Irrit. 2: Skin corrosion/irritation – Category 2
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1
 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
 Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B
 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
 Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3
 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· *** Data compared to the previous version altered.**

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106