

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/02/2017

Reviewed on 10/02/2017

1 Identification

- **Product Identifier**
- **Trade name: 13-3-9-180-CIT**
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description** Fertilizer
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**
Florikan ESA, LLC
6801 Energy Ct. Suite 100
Sarasota, FL 34234
Ph: 941-379-4048 ext 332
Fax: 941-377-3633
Email product info: Doug Cabe; dcabe@florikan.com
- **Emergency telephone number:** Chemtrec 1-800-424-9300 or outside USA 1-703-527-3887

www.Florikan.com

2 Hazard(s) Identification

- **Classification of the substance or mixture:**



GHS07

Skin Irrit. 2	H315 Causes skin irritation.
Eye Irrit. 2A	H319 Causes serious eye irritation.
STOT SE 3	H335 May cause respiratory irritation.
.....	
Aquatic Acute 3	H402 Harmful to aquatic life.
Aquatic Chronic 3	H412 Harmful to aquatic life with long lasting effects.

- **Label elements:**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms:**



GHS07

- **Signal word:** Warning
- **Hazard-determining components of labeling:**
Ammonium Nitrate
Sulfate of Potash Magnesia
Magnesium Sulphate
- **Hazard statements:**
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H402 Harmful to aquatic life.
H412 Harmful to aquatic life with long lasting effects.
- **Precautionary statements:**
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 Wash thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.

(Contd. on page 2)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/02/2017

Reviewed on 10/02/2017

Trade name: 13-3-9-180-CIT

- | | |
|----------------|--|
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves / eye protection / face protection. |
| P302+P352 | If on skin: Wash with plenty of water. |
| P304+P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| P305+P351+P338 | If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P312 | Call a poison center/doctor if you feel unwell. |
| P321 | Specific treatment (see supplementary first aid instructions on this Safety Data Sheet). |
| P332+P313 | If skin irritation occurs: Get medical advice/attention. |
| P337+P313 | If eye irritation persists: Get medical advice/attention. |
| P362+P364 | Take off contaminated clothing and wash it before reuse. |
| P403+P233 | Store in a well-ventilated place. Keep container tightly closed. |
| P405 | Store locked up. |
| P501 | Dispose of contents/container in accordance with local/regional/national/international regulations. |

• **Unknown acute toxicity:**

This value refers to knowledge of known, established toxicological or ecotoxicological values.

32.9 % of the mixture consists of component(s) of unknown toxicity.

• **Classification system:** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme

• **NFPA ratings (scale 0 - 4)**



• **HMIS-ratings (scale 0 - 4)**



• **Hazard(s) not otherwise classified (HNOC):** None known

3 Composition/Information on Ingredients

• **Chemical characterization: Mixtures**

• **Description:** Mixture of substances listed below with non-hazardous additions.

• **Dangerous Components:**

CAS: 7757-79-1 RTECS: TT 3700000	Potassium Nitrate ⚠ Ox. Sol. 3, H272	15-35%
CAS: 6484-52-2 RTECS: BR9050000	Ammonium Nitrate ⚠ Ox. Sol. 3, H272; ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	15-35%
CAS: 12125-02-9 RTECS: BP 4550000	Ammonium Chloride ⚠ Aquatic Chronic 2, H411; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H332; Eye Irrit. 2A, H319	15-35%
CAS: 10124-37-5	Calcium Nitrate ⚠ Ox. Sol. 3, H272	5-10%
CAS: 14977-38-8	Sulfate of Potash Magnesia ⚠ Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	5-10%
CAS: 7487-88-9 RTECS: OM 4500000	Magnesium Sulphate ⚠ STOT SE 3, H335	5-10%

(Contd. on page 3)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/02/2017

Reviewed on 10/02/2017

Trade name: 13-3-9-180-CIT

CAS: 7720-78-7 RTECS: NO 8510000	iron(II) sulfate ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319	2-12%
CAS: 1309-48-4	Magnesium Oxide ⚠ Acute Tox. 4, H302	≤2.5%
CAS: 7758-99-8 RTECS: GL 8800000	Copper Sulfate Pentahydrate ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319	≤2.5%
CAS: 7733-02-0	Zinc Sulphate (anhydrous) ⚠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302	≤2.5%

• **Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-Aid Measures

• **Description of first aid measures:**

• **General information:**

Symptoms of poisoning may occur after exposure to dust, fumes or particulates; seek medical attention if feeling unwell.

• **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

• **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

• **After eye contact:**

Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.

If easy to do so, remove contact lenses if worn.

If eye irritation occurs, consult a doctor.

• **After swallowing:**

Rinse mouth with water.

Do not induce vomiting without medical advice.

Call a doctor if irritation or symptoms develop.

Seek immediate medical advice.

If swallowed and symptoms occur, consult a doctor.

• **Information for doctor:**

• **Most important symptoms and effects, both acute and delayed:** No further relevant information available.

• **Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

5 Fire-Fighting Measures

• **Extinguishing media:**

• **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

• **Special hazards arising from the substance or mixture:**

During heating or in case of fire poisonous gases are produced.

• **Advice for firefighters:**

• **Protective equipment:**

Mouth respiratory protective device.

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

(Contd. on page 4)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/02/2017

Reviewed on 10/02/2017

Trade name: 13-3-9-180-CIT

6 Accidental Release Measures

• **Personal precautions, protective equipment and emergency procedures:**

Mount respiratory protective device.

• **Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

• **Methods and material for containment and cleaning up:**

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

• **Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

• **Protective Action Criteria for Chemicals**

• **PAC-1:**

7757-79-1	Potassium Nitrate	9 mg/m ³
6484-52-2	Ammonium Nitrate	6.7 mg/m ³
12125-02-9	Ammonium Chloride	20 mg/m ³
10124-37-5	Calcium Nitrate	1.2 mg/m ³
7487-88-9	Magnesium Sulphate	20 mg/m ³
7720-78-7	iron(II) sulfate	8.2 mg/m ³
1317-61-9	Iron Oxide	21 mg/m ³
1309-48-4	Magnesium Oxide	30 mg/m ³
7440-42-8	Boron	1.9 mg/m ³
10034-96-5	Manganese(II) Sulfate Monohydrate	9.2 mg/m ³
7783-20-2	Ammonium Sulfate	13 mg/m ³
7758-99-8	Copper Sulfate Pentahydrate	12 mg/m ³
7733-02-0	Zinc Sulphate (anhydrous)	15 mg/m ³
1314-13-2	Zinc Oxide	10 mg/m ³
7631-95-0	Sodium Molybdate	3.2 mg/m ³

• **PAC-2:**

7757-79-1	Potassium Nitrate	100 mg/m ³
6484-52-2	Ammonium Nitrate	73 mg/m ³
12125-02-9	Ammonium Chloride	54 mg/m ³
10124-37-5	Calcium Nitrate	13 mg/m ³
7487-88-9	Magnesium Sulphate	220 mg/m ³
7720-78-7	iron(II) sulfate	41 mg/m ³
1317-61-9	Iron Oxide	230 mg/m ³
1309-48-4	Magnesium Oxide	120 mg/m ³
7440-42-8	Boron	21 mg/m ³
10034-96-5	Manganese(II) Sulfate Monohydrate	15 mg/m ³
7783-20-2	Ammonium Sulfate	140 mg/m ³
7758-99-8	Copper Sulfate Pentahydrate	32 mg/m ³

(Contd. on page 5)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/02/2017

Reviewed on 10/02/2017

Trade name: 13-3-9-180-CIT

7733-02-0	Zinc Sulphate (anhydrous)	97 mg/m ³
1314-13-2	Zinc Oxide	15 mg/m ³
7631-95-0	Sodium Molybdate	17 mg/m ³
· PAC-3:		
7757-79-1	Potassium Nitrate	600 mg/m ³
6484-52-2	Ammonium Nitrate	440 mg/m ³
12125-02-9	Ammonium Chloride	330 mg/m ³
10124-37-5	Calcium Nitrate	79 mg/m ³
7487-88-9	Magnesium Sulphate	1,300 mg/m ³
7720-78-7	iron(II) sulfate	250 mg/m ³
1317-61-9	Iron Oxide	1,400 mg/m ³
1309-48-4	Magnesium Oxide	730 mg/m ³
7440-42-8	Boron	130 mg/m ³
10034-96-5	Manganese(II) Sulfate Monohydrate	90 mg/m ³
7783-20-2	Ammonium Sulfate	840 mg/m ³
7758-99-8	Copper Sulfate Pentahydrate	190 mg/m ³
7733-02-0	Zinc Sulphate (anhydrous)	580 mg/m ³
1314-13-2	Zinc Oxide	2,500 mg/m ³
7631-95-0	Sodium Molybdate	100 mg/m ³

7 Handling and Storage

- **Handling**
- **Precautions for safe handling:** Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:** Keep protective respiratory device available.
- **Conditions for safe storage, including any incompatibilities:**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s):** No further relevant information available.

8 Exposure Controls/Personal Protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**
- **Components with occupational exposure limits:**
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.
At this time, the other constituents have no known exposure limits.

12125-02-9 Ammonium Chloride

REL	Short-term value: 20 mg/m ³ Long-term value: 10 mg/m ³
TLV	Short-term value: 20 mg/m ³ Long-term value: 10 mg/m ³

(Contd. on page 6)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/02/2017

Reviewed on 10/02/2017

Trade name: 13-3-9-180-CIT

7720-78-7 iron(II) sulfate	
REL	Long-term value: 1 mg/m ³ as Fe
TLV	Long-term value: 1 mg/m ³ as Fe
1309-48-4 Magnesium Oxide	
PEL	Long-term value: 15* mg/m ³ fume; *total particulate
TLV	Long-term value: 10* mg/m ³ *as inhalable fraction

• **Additional information:** The lists that were valid during the creation of this SDS were used as basis.

• **Exposure controls:**

• **Personal protective equipment:**

• **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

• **Breathing equipment:** Not required.

• **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

• **Material of gloves:**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material:** Not applicable.

• **Eye protection:**



Tightly sealed goggles

• **Limitation and supervision of exposure into the environment:**

Keep away from drains, surface and ground waters.

Avoid release into the environment.

9 Physical and Chemical Properties

• **Information on basic physical and chemical properties**

• **General Information**

• **Appearance:**

Form:

Granulate

Color:

Grey

(Contd. on page 7)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/02/2017

Reviewed on 10/02/2017

Trade name: 13-3-9-180-CIT

- **Odor:** Slight
- **Odor threshold:** Not determined.
- **pH-value:** Not applicable.
- **Change in condition**
 - Melting point/Melting range:** Not determined.
 - Boiling point/Boiling range:** ≥210 °C (≥410 °F)
- **Flash point:** None
- **Flammability (solid, gaseous):** Not determined.
- **Ignition temperature:** Not applicable
- **Decomposition temperature:** Not determined.
- **Auto igniting:** Product is not self-igniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**
 - Lower:** Not determined.
 - Upper:** Not determined.
- **Vapor pressure @ 30 °C (86 °F):** <1.3 hPa (<1 mm Hg)
- **Density:**
 - Relative density:** Not determined.
 - Vapor density:** Not applicable.
 - Evaporation rate:** Not applicable.
- **Solubility in / Miscibility with:**
 - Water:** Soluble.
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
 - Dynamic:** Not applicable.
 - Kinematic:** Not applicable.
- **Solvent content:**
 - VOC content:** 0.00 %
- **Other information:** No further relevant information available.

10 Stability and Reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

(Contd. on page 8)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/02/2017

Reviewed on 10/02/2017

Trade name: 13-3-9-180-CIT

11 Toxicological Information

• **Information on toxicological effects:**

• **Acute toxicity:**

• **LD/LC50 values that are relevant for classification:**

7757-79-1 Potassium Nitrate

Oral	LD50	3,750 mg/kg (Rat)
------	------	-------------------

6484-52-2 Ammonium Nitrate

Oral	LD50	2,217 mg/kg (Rat)
------	------	-------------------

12125-02-9 Ammonium Chloride

Oral	LD50	1,650 mg/kg (Rat)
Inhalative	LC50/96 hours	3.98 mg/l (Trout)

10124-37-5 Calcium Nitrate

Oral	LD50	3,900 mg/kg mg/kg (Rat)
Dermal	LD50	>2,000 mg/kg (Rat)

7487-88-9 Magnesium Sulphate

Oral	LD50	>2,000 mg/kg (Rat)
Inhalative	LC50/4 h	>2,000 mg/l (Rabbit)
	LC50/96 hours	2,820 mg/l (Pimephales)

7720-78-7 iron(II) sulfate

Oral	LD50	1,520 mg/kg (Mouse)
------	------	---------------------

1309-48-4 Magnesium Oxide

Oral	LD50	810 mg/kg (Mouse)
------	------	-------------------

7758-99-8 Copper Sulfate Pentahydrate

Oral	LD50	300 mg/kg (Rat)
------	------	-----------------

• **Primary irritant effect:**

• **On the skin:** Irritant to skin and mucous membranes.

• **On the eye:** Irritating effect.

• **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

• **Carcinogenic categories:**

• **IARC (International Agency for Research on Cancer):**

Group 1 - Carcinogenic to humans

Group 2A - Probably carcinogenic to humans

Group 2B - Possibly carcinogenic to humans

Group 3 - Not classifiable as to its carcinogenicity to humans

Group 4 - Probably not carcinogenic to humans

14807-96-6	Talc (Mg3H2(SiO3)4)	3
------------	---------------------	---

• **NTP (National Toxicology Program):**

None of the ingredients are listed.

• **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

(Contd. on page 9)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/02/2017

Reviewed on 10/02/2017

Trade name: 13-3-9-180-CIT

12 Ecological Information

- **Toxicity:**
- **Aquatic toxicity:**
Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.

7757-79-1 Potassium Nitrate

EC50 226 mg/l (Water flea)

7487-88-9 Magnesium Sulphate

EC50 2,700 mg/l (Green algae)

343.56 mg/l (Water flea)

- **Persistence and degradability:** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.
Harmful to aquatic organisms
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects:** No further relevant information available.

13 Disposal Considerations

- **Waste treatment methods:**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Observe all federal, state and local environmental regulations when disposing of this material.
- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport Information

- **UN-Number:**
- **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material
- **UN proper shipping name:**
- **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material
- **Transport hazard class(es):**
- **DOT, ADR/ADN, IMDG, IATA**
- **Class:** Non-Regulated Material
- **Packing group:**
- **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material
- **Environmental hazards:** Not applicable.
- **Special precautions for user:** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.

(Contd. on page 10)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/02/2017

Reviewed on 10/02/2017

Trade name: 13-3-9-180-CIT

· **UN "Model Regulation":** Non-Regulated Material

15 Regulatory Information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
- **SARA (Superfund Amendments and Reauthorization):**

· **Section 355 (extremely hazardous substances):**

7720-78-7 iron(II) sulfate

· **Section 313 (Specific toxic chemical listings):**

7757-79-1 Potassium Nitrate

6484-52-2 Ammonium Nitrate

10124-37-5 Calcium Nitrate

10034-96-5 Manganese(II) Sulfate Monohydrate

11129-60-5 Manganese oxide

7783-20-2 Ammonium Sulfate

7758-99-8 Copper Sulfate Pentahydrate

7733-02-0 Zinc Sulphate (anhydrous)

1314-13-2 Zinc Oxide

· **TSCA (Toxic Substances Control Act):**

7757-79-1 Potassium Nitrate

6484-52-2 Ammonium Nitrate

12125-02-9 Ammonium Chloride

10124-37-5 Calcium Nitrate

7487-88-9 Magnesium Sulphate

7720-78-7 iron(II) sulfate

1317-61-9 Iron Oxide

1309-48-4 Magnesium Oxide

7440-42-8 Boron

7778-18-9 Calcium Sulfate anhydrous

14807-96-6 Talc (Mg₃H₂(SiO₃)₄)

7783-20-2 Ammonium Sulfate

15708-41-5 EDTA feric sodium complex

7647-14-5 Sodium Chloride

7733-02-0 Zinc Sulphate (anhydrous)

1314-13-2 Zinc Oxide

1332-58-7 Kaolin

7631-95-0 Sodium Molybdate

· **California Proposition 65:**

· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

(Contd. on page 11)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/02/2017

Reviewed on 10/02/2017

Trade name: 13-3-9-180-CIT

· Chemicals known to cause developmental toxicity:		
None of the ingredients are listed.		
· New Jersey Right-to-Know List:		
7757-79-1	Potassium Nitrate	
6484-52-2	Ammonium Nitrate	
12125-02-9	Ammonium Chloride	
10124-37-5	Calcium Nitrate	
7720-78-7	iron(II) sulfate	
1309-48-4	Magnesium Oxide	
7440-42-8	Boron	
7778-18-9	Calcium Sulfate anhydrous	
14807-96-6	Talc (Mg ₃ H ₂ (SiO ₃) ₄)	
7733-02-0	Zinc Sulphate (anhydrous)	
1314-13-2	Zinc Oxide	
1332-58-7	Kaolin	
· New Jersey Special Hazardous Substance List:		
6484-52-2	Ammonium Nitrate	R3
14807-96-6	Talc (Mg ₃ H ₂ (SiO ₃) ₄)	CA
· Pennsylvania Right-to-Know List:		
7757-79-1	Potassium Nitrate	
6484-52-2	Ammonium Nitrate	
12125-02-9	Ammonium Chloride	
7720-78-7	iron(II) sulfate	
1309-48-4	Magnesium Oxide	
7778-18-9	Calcium Sulfate anhydrous	
14807-96-6	Talc (Mg ₃ H ₂ (SiO ₃) ₄)	
7783-20-2	Ammonium Sulfate	
7733-02-0	Zinc Sulphate (anhydrous)	
1314-13-2	Zinc Oxide	
1332-58-7	Kaolin	
· Pennsylvania Special Hazardous Substance List:		
6484-52-2	Ammonium Nitrate	E
12125-02-9	Ammonium Chloride	E
7720-78-7	iron(II) sulfate	E
7783-20-2	Ammonium Sulfate	E
7733-02-0	Zinc Sulphate (anhydrous)	E
1314-13-2	Zinc Oxide	E
· Carcinogenic categories:		
· EPA (Environmental Protection Agency):		
7440-42-8	Boron	I (oral)
10034-96-5	Manganese(II) Sulfate Monohydrate	D
11129-60-5	Manganese oxide	D

(Contd. on page 12)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/02/2017

Reviewed on 10/02/2017

Trade name: 13-3-9-180-CIT

7733-02-0	Zinc Sulphate (anhydrous)	D, I, II
1314-13-2	Zinc Oxide	D, I, II

• **TLV (Threshold Limit Value established by ACGIH):**

1309-48-4	Magnesium Oxide	A4
14807-96-6	Talc (Mg ₃ H ₂ (SiO ₃) ₄)	A4
1332-58-7	Kaolin	2 mg/m ³

• **NIOSH-Ca (National Institute for Occupational Safety and Health):**

None of the ingredients are listed.

• **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

• **Hazard pictograms:**



GHS07

• **Signal word:** Warning

• **Hazard-determining components of labeling:**

Ammonium Nitrate
Sulfate of Potash Magnesia
Magnesium Sulphate

• **Hazard statements:**

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H402 Harmful to aquatic life.
H412 Harmful to aquatic life with long lasting effects.

• **Precautionary statements:**

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 Wash thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P280 Wear protective gloves / eye protection / face protection.
P302+P352 If on skin: Wash with plenty of water.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312 Call a poison center/doctor if you feel unwell.
P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• **National regulations:**

None of the ingredients are listed.

(Contd. on page 13)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/02/2017

Reviewed on 10/02/2017

Trade name: 13-3-9-180-CIT

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

- **Date of preparation / last revision:** 10/02/2017 / -

- **Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road
ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety and Health
OSHA: Occupational Safety & Health Administration
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Ox. Sol. 3: Oxidizing solids – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

- *** Data compared to the previous version altered.**

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106