

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 12/12/2019

Reviewed on 12/12/2019

* 1 Identification

- **Product Identifier**
- **Trade Name:** 18-6-12-180-CIT
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description:** Fertilizer
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**
Florikan ESA, LLC
6801 Energy Ct. Suite 100
Sarasota, FL 34234
Ph: 941-379-4048 ext 332
Fax: 941-377-3633
Email product info: Doug Cabe; dcabe@florikan.com
- **Emergency telephone number:** Chemtrec 1-800-424-9300 or outside USA 1-703-527-3887

www.Florikan.com

2 Hazard(s) Identification

- **Classification of the substance or mixture:** Non-Regulated Material
- **Label elements:**
- **Hazard pictograms:** Non-Regulated Material
- **Signal word:** Non-Regulated Material
- **Hazard statements:** Non-Regulated Material
- **Unknown acute toxicity:**
This value refers to knowledge of known, established toxicological or ecotoxicological values.
3.6 % of the mixture consists of component(s) of unknown toxicity.
- **Classification system:** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**

HEALTH	0	Health = 0
FIRE	0	Fire = 0
REACTIVITY	0	Physical Hazard = 0

- **Hazard(s) not otherwise classified (HNOC):** None known

* 3 Composition/Information on Ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of substances listed below with non-hazardous additions.

· **Dangerous Components:**

CAS: 57-13-6 RTECS: YR 6250000	Urea	15-35%
CAS: 14977-37-8	Potassium Magnesium Sulfate ⚠ Skin Irrit. 2, H315; Eye Irrit. 2B, H320	2-12%
CAS: 7722-76-1	Ammonium phosphate monobasic ⚠ Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	2-12%

(Contd. on page 2)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 12/12/2019

Reviewed on 12/12/2019

Trade Name: 18-6-12-180-CIT

CAS: 7487-88-9 RTECS: OM 4500000	Magnesium Sulphate ⚠ STOT SE 3, H335	≤2.5%
CAS: 1309-48-4	Magnesium Oxide ⚠ Acute Tox. 4, H302	≤2.5%
CAS: 7720-78-7 RTECS: NO 8510000	iron sulphate ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319	≤2.5%

• **Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

* 4 First-Aid Measures

• **Description of first aid measures**

• **General information:** No special measures required.

• **After inhalation:** Supply fresh air; consult doctor in case of complaints.

• **After skin contact:**

Wash with soap and water.

If skin irritation occurs, consult a doctor.

• **After eye contact:**

If eye irritation occurs, consult a doctor.

Rinse opened eye for several minutes under running water.

• **After swallowing:** If swallowed and symptoms occur, consult a doctor.

• **Information for doctor**

• **Most important symptoms and effects, both acute and delayed:** No further relevant information available.

• **Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

5 Fire-Fighting Measures

• **Extinguishing media**

• **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

• **For safety reasons unsuitable extinguishing agents:** No further relevant information.

• **Special hazards arising from the substance or mixture:** No further relevant information available.

• **Advice for firefighters**

• **Special protective equipment for firefighters:**

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

• **Personal precautions, protective equipment and emergency procedures:** Not required.

• **Environmental precautions:** No special measures required.

• **Methods and material for containment and cleaning up:**

Dispose of the collected material according to regulations.

• **Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

• **Protective Action Criteria for Chemicals**

• **PAC-1:**

57-13-6	Urea	30 mg/m ³
7722-76-1	Ammonium phosphate monobasic	17 mg/m ³

(Contd. on page 3)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 12/12/2019

Reviewed on 12/12/2019

Trade Name: 18-6-12-180-CIT

7778-80-5	Potassium Sulfate	20 mg/m ³
7487-88-9	Magnesium Sulphate	20 mg/m ³
1317-61-9	Iron Oxide	21 mg/m ³
1309-48-4	Magnesium Oxide	30 mg/m ³
7720-78-7	iron sulphate	8.2 mg/m ³
10034-96-5	Manganese(II) Sulfate Monohydrate	9.2 mg/m ³
7758-99-8	Copper Sulfate Pentahydrate	12 mg/m ³
7733-02-0	Zinc Sulphate (anhydrous)	15 mg/m ³
1314-13-2	Zinc Oxide	10 mg/m ³
7631-95-0	Sodium Molybdate	3.2 mg/m ³

· **PAC-2:**

57-13-6	Urea	280 mg/m ³
7722-76-1	Ammonium phosphate monobasic	190 mg/m ³
7778-80-5	Potassium Sulfate	220 mg/m ³
7487-88-9	Magnesium Sulphate	220 mg/m ³
1317-61-9	Iron Oxide	230 mg/m ³
1309-48-4	Magnesium Oxide	120 mg/m ³
7720-78-7	iron sulphate	41 mg/m ³
10034-96-5	Manganese(II) Sulfate Monohydrate	15 mg/m ³
7758-99-8	Copper Sulfate Pentahydrate	32 mg/m ³
7733-02-0	Zinc Sulphate (anhydrous)	97 mg/m ³
1314-13-2	Zinc Oxide	15 mg/m ³
7631-95-0	Sodium Molybdate	17 mg/m ³

· **PAC-3:**

57-13-6	Urea	1,700 mg/m ³
7722-76-1	Ammonium phosphate monobasic	1,100 mg/m ³
7778-80-5	Potassium Sulfate	1,300 mg/m ³
7487-88-9	Magnesium Sulphate	1,300 mg/m ³
1317-61-9	Iron Oxide	1,400 mg/m ³
1309-48-4	Magnesium Oxide	730 mg/m ³
7720-78-7	iron sulphate	250 mg/m ³
10034-96-5	Manganese(II) Sulfate Monohydrate	90 mg/m ³
7758-99-8	Copper Sulfate Pentahydrate	190 mg/m ³
7733-02-0	Zinc Sulphate (anhydrous)	580 mg/m ³
1314-13-2	Zinc Oxide	2,500 mg/m ³
7631-95-0	Sodium Molybdate	100 mg/m ³

7 Handling and Storage

· **Handling**

· **Precautions for safe handling:** No special measures required.

· **Information about protection against explosions and fires:** No special measures required.

(Contd. on page 4)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 12/12/2019

Reviewed on 12/12/2019

Trade Name: 18-6-12-180-CIT

- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s):** No further relevant information available.

8 Exposure Controls/Personal Protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**
- **Components with occupational exposure limits:**
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.
At this time, the other constituents have no known exposure limits.

57-13-6 Urea	
WEEL	Long-term value: 10 mg/m ³
1309-48-4 Magnesium Oxide	
PEL	Long-term value: 15* mg/m ³ fume; *total particulate
TLV	Long-term value: 10* mg/m ³ *as inhalable fraction
7720-78-7 iron sulphate	
REL	Long-term value: 1 mg/m ³ as Fe
TLV	Long-term value: 1 mg/m ³ as Fe

- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- **Exposure controls:**
- **Personal protective equipment**
- **General protective and hygienic measures:** No special measures required.
- **Breathing equipment:** Not required.
- **Protection of hands:** Not required.
- **Material of gloves:** Not applicable.
- **Penetration time of glove material:** Not applicable.
- **Eye protection:** Not required.
- **Limitation and supervision of exposure into the environment:** None

* 9 Physical and Chemical Properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
 - Form:** Granulate
 - Color:** Whitish
 - Odor:** Slight
 - Odor threshold:** Not determined.
 - pH-value:** Not determined.

(Contd. on page 5)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 12/12/2019

Reviewed on 12/12/2019

Trade Name: 18-6-12-180-CIT

- **Change in condition**
 - Melting point/Melting range:** Not determined.
 - Boiling point/Boiling range:** $\geq 1,689^{\circ}\text{C}$ ($\geq 3589^{\circ}\text{F}$)
- **Flash point:** None
- **Flammability (solid, gaseous):** Not determined.
- **Ignition temperature:** Not applicable
- **Decomposition temperature:** Not determined.
- **Auto igniting:** Product is not self-igniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**
 - Lower:** Not determined.
 - Upper:** Not determined.
- **Vapor pressure:** Not applicable.
- **Density:**
 - Relative density:** Not determined.
 - Vapor density:** Not applicable.
 - Evaporation rate:** Not applicable.
- **Solubility in / Miscibility with:**
 - Water:** Soluble.
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
 - Dynamic:** Not applicable.
 - Kinematic:** Not applicable.
- **Solvent content:**
 - VOC content:** 0.00 %
- **Other information:** No further relevant information available.

10 Stability and Reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Product is stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:**
 - Urea reacts with calcium hypochlorite or sodium hypochlorite to form the explosive nitrogen trichloride.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological Information

- **Information on toxicological effects:**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

57-13-6 Urea

Oral	LD50	8,471 mg/kg (Rat)
------	------	-------------------

(Contd. on page 6)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 12/12/2019

Reviewed on 12/12/2019

Trade Name: 18-6-12-180-CIT

7722-76-1 Ammonium phosphate monobasic		
Oral	LD50	5,750 mg/kg (Rat)
Dermal	LD50	7,640 mg/kg (Rabbit)
7487-88-9 Magnesium Sulphate		
Oral	LD50	>2,000 mg/kg (Rat)
Inhalative	LC50/4 h	>2,000 mg/l (Rabbit)
	LC50/96 hours	2,820 mg/l (Pimephales)
1309-48-4 Magnesium Oxide		
Oral	LD50	810 mg/kg (Mouse)
7720-78-7 iron sulphate		
Oral	LD50	1,520 mg/kg (Mouse)

· **Primary irritant effect:**

· **On the skin:** No irritating effect.

· **On the eye:** No irritating effect.

· **Additional toxicological information:**

The product is not subject to classification according to internally approved calculation methods for preparations.

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· **Carcinogenic categories:**

· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

· **NTP (National Toxicology Program):**

None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

12 Ecological Information

· **Toxicity:**

· **Aquatic toxicity:**

57-13-6 Urea

EC50 >10,000 mg/l (Daphnia)

7487-88-9 Magnesium Sulphate

EC50 2,700 mg/l (Green algae)

343.56 mg/l (Water flea)

· **Persistence and degradability:** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential:** No further relevant information available.

· **Mobility in soil:** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

· **Results of PBT and vPvB assessment:**

· **PBT:** Not applicable.

(Contd. on page 7)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 12/12/2019

Reviewed on 12/12/2019

Trade Name: 18-6-12-180-CIT

- **vPvB:** Not applicable.
- **Other adverse effects:** No further relevant information available.

13 Disposal Considerations

- **Waste treatment methods**
- **Recommendation:**
Smaller quantities can be disposed of with household waste.
Observe all federal, state and local environmental regulations when disposing of this material.
- **Uncleaned packaging**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport Information

- **UN-Number:**
- **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material
- **UN proper shipping name:**
- **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material
- **Transport hazard class(es):**
- **DOT, ADR/ADN, ADN, IMDG, IATA**
- **Class:** Non-Regulated Material
- **Packing group:**
- **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material
- **Environmental hazards:** Not applicable.
- **Special precautions for user:** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.
- **UN "Model Regulation":** Non-Regulated Material

15 Regulatory Information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
- **SARA (Superfund Amendments and Reauthorization):**

· **Section 355 (extremely hazardous substances):**

7720-78-7	iron sulphate
-----------	---------------

· **Section 313 (Specific toxic chemical listings):**

11129-60-5	Manganese oxide
10034-96-5	Manganese(II) Sulfate Monohydrate
7758-99-8	Copper Sulfate Pentahydrate
7733-02-0	Zinc Sulphate (anhydrous)
1314-13-2	Zinc Oxide

· **TSCA (Toxic Substances Control Act):**

57-13-6	Urea	ACTIVE
7722-76-1	Ammonium phosphate monobasic	ACTIVE
7778-80-5	Potassium Sulfate	ACTIVE
7487-88-9	Magnesium Sulphate	ACTIVE
25791-96-2	Poly(oxypropylene) triol	ACTIVE
1317-61-9	Iron Oxide	ACTIVE
1309-48-4	Magnesium Oxide	ACTIVE

(Contd. on page 8)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 12/12/2019

Reviewed on 12/12/2019

Trade Name: 18-6-12-180-CIT

7720-78-7	iron sulphate	ACTIVE
7647-14-5	Sodium Chloride	ACTIVE
1332-58-7	Kaolin	ACTIVE
7733-02-0	Zinc Sulphate (anhydrous)	ACTIVE
1314-13-2	Zinc Oxide	ACTIVE
7631-95-0	Sodium Molybdate	ACTIVE

· **Hazardous Air Pollutants**

11129-60-5	Manganese oxide
10034-96-5	Manganese(II) Sulfate Monohydrate

· **California Proposition 65:**

· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **New Jersey Right-to-Know List:**

1309-48-4	Magnesium Oxide
7720-78-7	iron sulphate
1332-58-7	Kaolin
7733-02-0	Zinc Sulphate (anhydrous)
1314-13-2	Zinc Oxide

· **New Jersey Special Hazardous Substance List:**

None of the ingredients are listed.

· **Pennsylvania Right-to-Know List:**

1309-48-4	Magnesium Oxide
7720-78-7	iron sulphate
1332-58-7	Kaolin
7733-02-0	Zinc Sulphate (anhydrous)
1314-13-2	Zinc Oxide

· **Pennsylvania Special Hazardous Substance List:**

7720-78-7	iron sulphate	E
7733-02-0	Zinc Sulphate (anhydrous)	E
1314-13-2	Zinc Oxide	E

· **Carcinogenic categories:**

· **EPA (Environmental Protection Agency):**

57-13-6	Urea	II
11129-60-5	Manganese oxide	D
10034-96-5	Manganese(II) Sulfate Monohydrate	D
7733-02-0	Zinc Sulphate (anhydrous)	D, I, II

(Contd. on page 9)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 12/12/2019

Reviewed on 12/12/2019

Trade Name: 18-6-12-180-CIT

1314-13-2	Zinc Oxide	D, I, II
· TLV (Threshold Limit Value established by ACGIH):		
1309-48-4	Magnesium Oxide	A4
1332-58-7	Kaolin	2 mg/m ³
· NIOSH-Ca (National Institute for Occupational Safety and Health):		
None of the ingredients are listed.		
· GHS label elements Non-Regulated Material		
· Hazard pictograms: Non-Regulated Material		
· Signal word: Non-Regulated Material		
· Hazard statements: Non-Regulated Material		
· National regulations:		
None of the ingredients are listed.		
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.		

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· **Date of last revision/ revision number:** 12/12/2019 / 1

· **Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road
 ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 ACGIH: American Conference of Governmental Industrial Hygienists
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 NFPA: National Fire Protection Association (USA)
 HMIS: Hazardous Materials Identification System (USA)
 VOC: Volatile Organic Compounds (USA, EU)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 NIOSH: National Institute for Occupational Safety and Health
 OSHA: Occupational Safety & Health Administration
 TLV: Threshold Limit Value
 PEL: Permissible Exposure Limit
 REL: Recommended Exposure Limit
 Acute Tox. 4: Acute toxicity – Category 4
 Skin Irrit. 2: Skin corrosion/irritation – Category 2
 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
 Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B
 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· *** Data compared to the previous version altered.**

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106