

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2017

Reviewed on 10/03/2017

* 1 Identification

- **Product Identifier**
- **Trade name: 20-4-10-120-LND**
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description** Fertilizer
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**
Florikan ESA, LLC
6801 Energy Ct. Suite 100
Sarasota, FL 34234
Ph: 941-379-4048 ext 332
Fax: 941-377-3633
Email product info: Doug Cabe; dcabe@florikan.com
- **Emergency telephone number:** Chemtrec 1-800-424-9300 or outside USA 1-703-527-3887

www.Florikan.com

2 Hazard(s) Identification

- **Classification of the substance or mixture:**



GHS07

Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2A H319 Causes serious eye irritation.
STOT SE 3 H335 May cause respiratory irritation.
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- **Label elements:**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms:**



GHS07

- **Signal word:** Warning
- **Hazard-determining components of labeling:**
Dolomitic limestone
Ammonium Nitrate
Magnesium Sulphate
- **Hazard statements:**
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H412 Harmful to aquatic life with long lasting effects.
- **Precautionary statements:**
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 Wash thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P280 Wear protective gloves / eye protection / face protection.

(Contd. on page 2)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2017

Reviewed on 10/03/2017

Trade name: 20-4-10-120-LND

- P302+P352 If on skin: Wash with plenty of water.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312 Call a poison center/doctor if you feel unwell.
P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• **Unknown acute toxicity:**

This value refers to knowledge of known, established toxicological or ecotoxicological values.

31.2 % of the mixture consists of component(s) of unknown toxicity.

• **Classification system:** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme

• **NFPA ratings (scale 0 - 4)**



• **HMIS-ratings (scale 0 - 4)**



• **Hazard(s) not otherwise classified (HNOC):** None known

3 Composition/Information on Ingredients

• **Chemical characterization: Mixtures**

• **Description:** Mixture of substances listed below with non-hazardous additions.

• **Dangerous Components:**

CAS: 57-13-6 RTECS: YR 6250000	Urea	15-35%
CAS: 7757-79-1 RTECS: TT 3700000	Potassium Nitrate ⚠ Ox. Sol. 3, H272	15-35%
CAS: 16389-88-1	Dolomitic limestone ⚠ Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	15-35%
CAS: 6484-52-2 RTECS: BR9050000	Ammonium Nitrate ⚠ Ox. Sol. 3, H272; ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	15-35%
CAS: 12125-02-9 RTECS: BP 4550000	Ammonium Chloride ⚠ Aquatic Chronic 2, H411; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H332; Eye Irrit. 2A, H319	15-35%
CAS: 7487-88-9 RTECS: OM 4500000	Magnesium Sulphate ⚠ STOT SE 3, H335	≤2.5%

(Contd. on page 3)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2017

Reviewed on 10/03/2017

Trade name: 20-4-10-120-LND

CAS: 1309-48-4	Magnesium Oxide ⚠ Acute Tox. 4, H302	≤2.5%
CAS: 7720-78-7 RTECS: NO 8510000	iron(II) sulfate ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319	≤2.5%

• **Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

* 4 First-Aid Measures

• **Description of first aid measures:**

• **General information:**

Symptoms of poisoning may occur after exposure to dust, fumes or particulates; seek medical attention if feeling unwell.

• **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

• **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

• **After eye contact:**

Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.

If easy to do so, remove contact lenses if worn.

If eye irritation occurs, consult a doctor.

• **After swallowing:** If swallowed and symptoms occur, consult a doctor.

• **Information for doctor:**

• **Most important symptoms and effects, both acute and delayed:** No further relevant information available.

• **Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

5 Fire-Fighting Measures

• **Extinguishing media:**

• **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

• **Special hazards arising from the substance or mixture:**

During heating or in case of fire poisonous gases are produced.

• **Advice for firefighters:**

• **Protective equipment:**

Mouth respiratory protective device.

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

• **Personal precautions, protective equipment and emergency procedures:**

Mount respiratory protective device.

• **Environmental precautions:** No special measures required.

• **Methods and material for containment and cleaning up:**

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

• **Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 4)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2017

Reviewed on 10/03/2017

Trade name: 20-4-10-120-LND

· **Protective Action Criteria for Chemicals**

· **PAC-1:**

57-13-6	Urea	30 mg/m ³
7757-79-1	Potassium Nitrate	9 mg/m ³
6484-52-2	Ammonium Nitrate	6.7 mg/m ³
12125-02-9	Ammonium Chloride	20 mg/m ³
7487-88-9	Magnesium Sulphate	20 mg/m ³
1317-61-9	Iron Oxide	21 mg/m ³
1309-48-4	Magnesium Oxide	30 mg/m ³
7720-78-7	iron(II) sulfate	8.2 mg/m ³
7727-37-9	Nitrogen	7.96E+05 ppm
7783-20-2	Ammonium Sulfate	13 mg/m ³
10034-96-5	Manganese(II) Sulfate Monohydrate	9.2 mg/m ³
7758-99-8	Copper Sulfate Pentahydrate	12 mg/m ³
7733-02-0	Zinc Sulphate (anhydrous)	15 mg/m ³
1314-13-2	Zinc Oxide	10 mg/m ³
7631-95-0	Sodium Molybdate	3.2 mg/m ³

· **PAC-2:**

57-13-6	Urea	280 mg/m ³
7757-79-1	Potassium Nitrate	100 mg/m ³
6484-52-2	Ammonium Nitrate	73 mg/m ³
12125-02-9	Ammonium Chloride	54 mg/m ³
7487-88-9	Magnesium Sulphate	220 mg/m ³
1317-61-9	Iron Oxide	230 mg/m ³
1309-48-4	Magnesium Oxide	120 mg/m ³
7720-78-7	iron(II) sulfate	41 mg/m ³
7727-37-9	Nitrogen	8.32E+05 ppm
7783-20-2	Ammonium Sulfate	140 mg/m ³
10034-96-5	Manganese(II) Sulfate Monohydrate	15 mg/m ³
7758-99-8	Copper Sulfate Pentahydrate	32 mg/m ³
7733-02-0	Zinc Sulphate (anhydrous)	97 mg/m ³
1314-13-2	Zinc Oxide	15 mg/m ³
7631-95-0	Sodium Molybdate	17 mg/m ³

· **PAC-3:**

57-13-6	Urea	1,700 mg/m ³
7757-79-1	Potassium Nitrate	600 mg/m ³
6484-52-2	Ammonium Nitrate	440 mg/m ³
12125-02-9	Ammonium Chloride	330 mg/m ³
7487-88-9	Magnesium Sulphate	1,300 mg/m ³
1317-61-9	Iron Oxide	1,400 mg/m ³
1309-48-4	Magnesium Oxide	730 mg/m ³
7720-78-7	iron(II) sulfate	250 mg/m ³
7727-37-9	Nitrogen	8.69E+05 ppm

(Contd. on page 5)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2017

Reviewed on 10/03/2017

Trade name: 20-4-10-120-LND

7783-20-2	Ammonium Sulfate	840 mg/m ³
10034-96-5	Manganese(II) Sulfate Monohydrate	90 mg/m ³
7758-99-8	Copper Sulfate Pentahydrate	190 mg/m ³
7733-02-0	Zinc Sulphate (anhydrous)	580 mg/m ³
1314-13-2	Zinc Oxide	2,500 mg/m ³
7631-95-0	Sodium Molybdate	100 mg/m ³

7 Handling and Storage

- **Handling**
- **Precautions for safe handling:** Prevent formation of dust.
- **Information about protection against explosions and fires:** Keep protective respiratory device available.
- **Conditions for safe storage, including any incompatibilities:**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s):** No further relevant information available.

8 Exposure Controls/Personal Protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**
- **Components with occupational exposure limits:**
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.
At this time, the other constituents have no known exposure limits.

57-13-6 Urea	
WEEL	Long-term value: 10 mg/m³
12125-02-9 Ammonium Chloride	
REL	Short-term value: 20 mg/m³ Long-term value: 10 mg/m³
TLV	Short-term value: 20 mg/m³ Long-term value: 10 mg/m³
1309-48-4 Magnesium Oxide	
PEL	Long-term value: 15* mg/m³ fume; *total particulate
TLV	Long-term value: 10* mg/m³ *as inhalable fraction
7720-78-7 iron(II) sulfate	
REL	Long-term value: 1 mg/m³ as Fe
TLV	Long-term value: 1 mg/m³ as Fe

- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
(Contd. on page 6)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2017

Reviewed on 10/03/2017

Trade name: 20-4-10-120-LND

- **Exposure controls:**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing and wash before reuse.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
- **Breathing equipment:** Not required.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Select glove material based on penetration times, rates of diffusion and degradation.

- **Material of gloves:**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material:** Not applicable.
- **Eye protection:**



Tightly sealed goggles

- **Limitation and supervision of exposure into the environment:**
Keep away from drains, surface and ground waters.
Avoid release into the environment.

9 Physical and Chemical Properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Granulate
Color:	Grey
Odor:	Slight
Odor threshold:	Not determined.
pH-value:	Not applicable.
- **Change in condition**

Melting point/Melting range:	Not determined.
Boiling point/Boiling range:	≥210 °C (≥410 °F)
- **Flash point:** None
- **Flammability (solid, gaseous):** Not determined.
- **Ignition temperature:** Not applicable

(Contd. on page 7)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2017

Reviewed on 10/03/2017

Trade name: 20-4-10-120-LND

- **Decomposition temperature:** Not determined.
- **Auto igniting:** Product is not self-igniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**
 - Lower:** Not determined.
 - Upper:** Not determined.
- **Vapor pressure @ 30 °C (86 °F):** <1.3 hPa (<1 mm Hg)
- **Density:**
 - Relative density:** Not determined.
 - Vapor density:** Not applicable.
 - Evaporation rate:** Not applicable.
- **Solubility in / Miscibility with:**
 - Water:** Soluble.
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
 - Dynamic:** Not applicable.
 - Kinematic:** Not applicable.
- **Solvent content:**
 - Water:** 0.2 %
 - VOC content:** 0.00 %
- **Other information:** No further relevant information available.

10 Stability and Reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological Information

- **Information on toxicological effects:**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

57-13-6 Urea

Oral	LD50	8,471 mg/kg (Rat)
------	------	-------------------

7757-79-1 Potassium Nitrate

Oral	LD50	3,750 mg/kg (Rat)
------	------	-------------------

6484-52-2 Ammonium Nitrate

Oral	LD50	2,217 mg/kg (Rat)
------	------	-------------------

12125-02-9 Ammonium Chloride

Oral	LD50	1,650 mg/kg (Rat)
Inhalative	LC50/96 hours	3.98 mg/l (Trout)

(Contd. on page 8)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2017

Reviewed on 10/03/2017

Trade name: 20-4-10-120-LND

7487-88-9 Magnesium Sulphate		
Oral	LD50	>2,000 mg/kg (Rat)
Inhalative	LC50/4 h	>2,000 mg/l (Rabbit)
	LC50/96 hours	2,820 mg/l (Pimephales)
1309-48-4 Magnesium Oxide		
Oral	LD50	810 mg/kg (Mouse)
7720-78-7 iron(II) sulfate		
Oral	LD50	1,520 mg/kg (Mouse)

• **Primary irritant effect:**

• **On the skin:** Irritant to skin and mucous membranes.

• **On the eye:** Irritating effect.

• **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

• **Carcinogenic categories:**

• **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

• **NTP (National Toxicology Program):**

None of the ingredients are listed.

• **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

12 Ecological Information

• **Toxicity:**

• **Aquatic toxicity:**

Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.

57-13-6 Urea	
EC50	>10,000 mg/l (Daphnia)
7757-79-1 Potassium Nitrate	
EC50	226 mg/l (Water flea)
7487-88-9 Magnesium Sulphate	
EC50	2,700 mg/l (Green algae)
	343.56 mg/l (Water flea)

• **Persistence and degradability:** No further relevant information available.

• **Behavior in environmental systems:**

• **Bioaccumulative potential:** No further relevant information available.

• **Mobility in soil:** No further relevant information available.

• **Additional ecological information:**

• **General notes:** Not known to be hazardous to water.

• **Results of PBT and vPvB assessment:**

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

• **Other adverse effects:** No further relevant information available.

(Contd. on page 9)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2017

Reviewed on 10/03/2017

Trade name: 20-4-10-120-LND

13 Disposal Considerations

- **Waste treatment methods:**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.
- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport Information

- **UN-Number:**
- **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material
- **UN proper shipping name:**
- **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material
- **Transport hazard class(es):**
- **DOT, ADR/ADN, ADN, IMDG, IATA**
- **Class:** Non-Regulated Material
- **Packing group:**
- **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material
- **Environmental hazards:** Not applicable.
- **Special precautions for user:** Not applicable.
- **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:** Not applicable.
- **UN "Model Regulation":** Non-Regulated Material

15 Regulatory Information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
- **SARA (Superfund Amendments and Reauthorization):**

• Section 355 (extremely hazardous substances):

7720-78-7	iron(II) sulfate
-----------	------------------

• Section 313 (Specific toxic chemical listings):

7757-79-1	Potassium Nitrate
6484-52-2	Ammonium Nitrate
7783-20-2	Ammonium Sulfate
11129-60-5	Manganese oxide
10034-96-5	Manganese(II) Sulfate Monohydrate
7758-99-8	Copper Sulfate Pentahydrate
7733-02-0	Zinc Sulphate (anhydrous)
1314-13-2	Zinc Oxide

• TSCA (Toxic Substances Control Act):

57-13-6	Urea
7757-79-1	Potassium Nitrate
16389-88-1	Dolomitic limestone
6484-52-2	Ammonium Nitrate
12125-02-9	Ammonium Chloride

(Contd. on page 10)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2017

Reviewed on 10/03/2017

Trade name: 20-4-10-120-LND

7487-88-9	Magnesium Sulphate
1317-61-9	Iron Oxide
1309-48-4	Magnesium Oxide
7720-78-7	iron(II) sulfate
25791-96-2	Poly(oxypropylene) triol
7727-37-9	Nitrogen
7783-20-2	Ammonium Sulfate
7647-14-5	Sodium Chloride
7733-02-0	Zinc Sulphate (anhydrous)
1314-13-2	Zinc Oxide
7631-95-0	Sodium Molybdate
7732-18-5	Water, distilled water, deionized water

• California Proposition 65:

• Chemicals known to cause cancer:

None of the ingredients are listed.

• Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

• Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

• Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

• New Jersey Right-to-Know List:

7757-79-1	Potassium Nitrate
6484-52-2	Ammonium Nitrate
12125-02-9	Ammonium Chloride
1309-48-4	Magnesium Oxide
7720-78-7	iron(II) sulfate
7727-37-9	Nitrogen
7733-02-0	Zinc Sulphate (anhydrous)
1314-13-2	Zinc Oxide

• New Jersey Special Hazardous Substance List:

6484-52-2	Ammonium Nitrate	R3
-----------	------------------	----

• Pennsylvania Right-to-Know List:

7757-79-1	Potassium Nitrate
6484-52-2	Ammonium Nitrate
12125-02-9	Ammonium Chloride
1309-48-4	Magnesium Oxide
7720-78-7	iron(II) sulfate
7727-37-9	Nitrogen
7783-20-2	Ammonium Sulfate
7733-02-0	Zinc Sulphate (anhydrous)
1314-13-2	Zinc Oxide

(Contd. on page 11)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2017

Reviewed on 10/03/2017

Trade name: 20-4-10-120-LND

• Pennsylvania Special Hazardous Substance List:		
6484-52-2	Ammonium Nitrate	E
12125-02-9	Ammonium Chloride	E
7720-78-7	iron(II) sulfate	E
7783-20-2	Ammonium Sulfate	E
7733-02-0	Zinc Sulphate (anhydrous)	E
1314-13-2	Zinc Oxide	E

• Carcinogenic categories:

• EPA (Environmental Protection Agency):		
57-13-6	Urea	II
11129-60-5	Manganese oxide	D
10034-96-5	Manganese(II) Sulfate Monohydrate	D
7733-02-0	Zinc Sulphate (anhydrous)	D, I, II
1314-13-2	Zinc Oxide	D, I, II

• TLV (Threshold Limit Value established by ACGIH):

1309-48-4	Magnesium Oxide	A4
-----------	-----------------	----

• NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

• GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

• Hazard pictograms:



GHS07

• Signal word: Warning

• Hazard-determining components of labeling:

Dolomitic limestone
Ammonium Nitrate
Magnesium Sulphate

• Hazard statements:

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H412 Harmful to aquatic life with long lasting effects.

• Precautionary statements:

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 Wash thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P280 Wear protective gloves / eye protection / face protection.
P302+P352 If on skin: Wash with plenty of water.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312 Call a poison center/doctor if you feel unwell.

(Contd. on page 12)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2017

Reviewed on 10/03/2017

Trade name: 20-4-10-120-LND

P321	Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

• **National regulations:**

None of the ingredients are listed.

• **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

• **Date of preparation / last revision:** 10/03/2017 / 1

• **Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road
 ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 ACGIH: American Conference of Governmental Industrial Hygienists
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 NFPA: National Fire Protection Association (USA)
 HMIS: Hazardous Materials Identification System (USA)
 VOC: Volatile Organic Compounds (USA, EU)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 NIOSH: National Institute for Occupational Safety and Health
 OSHA: Occupational Safety & Health Administration
 TLV: Threshold Limit Value
 PEL: Permissible Exposure Limit
 REL: Recommended Exposure Limit
 Ox. Sol. 3: Oxidizing solids – Category 3
 Acute Tox. 4: Acute toxicity – Category 4
 Skin Irrit. 2: Skin corrosion/irritation – Category 2
 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
 Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B
 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

• *** Data compared to the previous version altered.**

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106