Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/14/2021 Reviewed on 06/14/2021

1 Identification

· **Product Identifier**

· **Trade Name: 5-0-31**
· **Relevant identified uses of the substance or mixture and uses advised against:**
· **Product Description:** Fertilizer

· **Details of the Supplier of the Safety Data Sheet:**
· **Manufacturer/Supplier:**
Florikan ESA, LLC www.Florikan.com
6801 Energy Ct. Suite 100
Sarasota, FL 34234
Ph: 941-379-4048 ext 332
Fax: 941-377-3633
Email product info: Doug Cabe; dcabe@florikan.com
· **Emergency telephone number:** Chemtrec 1-800-424-9300 or outside USA 1-703-527-3887

2 Hazard(s) Identification

· **Classification of the substance or mixture:**

Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2A H319 Causes serious eye irritation.
STOT SE 3 H335 May cause respiratory irritation.

· **Label elements:**
· **Hazard pictograms:**

· **Signal word:** Warning

· **Hazard-determining components of labeling:**
Ammonium Nitrate
Talc (Mg3H2(SiO3)4)
Magnesium Sulphate
Ammonium phosphate monobasic
· **Hazard statements:**
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
· **Precautionary statements:**

P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves / eye protection / face protection.
P302+P352	If on skin: Wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a poison center/doctor if you feel unwell.
P321	Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

(Contd. on page 2)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/14/2021 Reviewed on 06/14/2021

Trade Name: 5-0-31

P362+P364	Take off contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

· ***Unknown acute toxicity:***
This value refers to knowledge of known, established toxicological or ecotoxicological values.
3.4 % of the mixture consists of component(s) of unknown toxicity.
· ***Classification system:*** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
· ***NFPA ratings (scale 0 - 4)***

Health = 2
Fire = 0
Reactivity = 0

· ***HMIS-ratings (scale 0 - 4)***

Health = 2
Fire = 0
Physical Hazard = 0

· ***Hazard(s) not otherwise classified (HNOC):*** None known

3 Composition/Information on Ingredients

· ***Chemical characterization: Substance***
· ***Description:*** Mixture of substances listed below with non-hazardous additions.

· ***Dangerous Components:***

CAS: 6484-52-2 RTECS: BR9050000	Ammonium Nitrate Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	10-15%
CAS: 10101-41-4	Calcium Sulfate dihydrate Eye Irrit. 2A, H319	2-12%
CAS: 14807-96-6	Talc (Mg3H2(SiO3)4) Acute Tox. 4, H302; Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	2-12%
CAS: 7487-88-9 RTECS: OM 4500000	Magnesium Sulphate STOT SE 3, H335	≤2.5%
CAS: 7722-76-1	Ammonium phosphate monobasic Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	≤2.5%

· ***Additional information:***
The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-Aid Measures

· ***Description of first aid measures***
· ***General information:*** If symptoms persist, call a physician.
· ***After inhalation:***
Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist.
In case of unconsciousness place patient stably in the side position for transportation.

(Contd. on page 3)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/14/2021 Reviewed on 06/14/2021

Trade Name: 5-0-31

· ***After skin contact:***
Immediately wash with water and soap and rinse thoroughly.
If skin irritation occurs, consult a doctor.
· ***After eye contact:***
Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.
If easy to do so, remove contact lenses if worn.
If eye irritation occurs, consult a doctor.
· ***After swallowing:*** If swallowed and symptoms occur, consult a doctor.
· ***Information for doctor***
· ***Most important symptoms and effects, both acute and delayed:*** No further relevant information available.
· ***Indication of any immediate medical attention and special treatment needed:***
No further relevant information available.

5 Fire-Fighting Measures

· ***Extinguishing media***
· ***Suitable extinguishing agents:*** Use fire fighting measures that suit the environment.
· ***For safety reasons unsuitable extinguishing agents:*** No further relevant information.
· ***Special hazards arising from the substance or mixture:*** No further relevant information available.
· ***Advice for firefighters***
· ***Special protective equipment for firefighters:***
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

· ***Personal precautions, protective equipment and emergency procedures:*** Not required.
· ***Environmental precautions:*** No special measures required.
· ***Methods and material for containment and cleaning up:***
Dispose of contaminated material as waste according to section 13.
Ensure adequate ventilation.
Dispose of the collected material according to regulations.
· ***Reference to other sections:***
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
· ***Protective Action Criteria for Chemicals***

· ***PAC-1:***		
7778-80-5	Potassium Sulfate	20 mg/m³
6484-52-2	Ammonium Nitrate	6.7 mg/m³
7487-88-9	Magnesium Sulphate	20 mg/m³
7722-76-1	Ammonium phosphate monobasic	17 mg/m³
69012-64-2	Silica-Amorphous Silica fume	45 mg/m³
7783-20-2	Ammonium Sulfate	13 mg/m³
60-00-4	Edetic acid	4.1 mg/m³
7720-78-7	iron sulphate	8.2 mg/m³
10034-96-5	Manganese(II) Sulfate Monohydrate	9.2 mg/m³
10043-35-3	Boric Acid	6 mg/m³

· ***PAC-2:***		
7778-80-5	Potassium Sulfate	220 mg/m³

(Contd. on page 4)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/14/2021 Reviewed on 06/14/2021

Trade Name: 5-0-31

6484-52-2	Ammonium Nitrate	73 mg/m³
7487-88-9	Magnesium Sulphate	220 mg/m³
7722-76-1	Ammonium phosphate monobasic	190 mg/m³
69012-64-2	Silica-Amorphous Silica fume	500 mg/m³
7783-20-2	Ammonium Sulfate	140 mg/m³
60-00-4	Edetic acid	45 mg/m³
7720-78-7	iron sulphate	41 mg/m³
10034-96-5	Manganese(II) Sulfate Monohydrate	15 mg/m³
10043-35-3	Boric Acid	23 mg/m³

· ***PAC-3:***

7778-80-5	Potassium Sulfate	1,300 mg/m³
6484-52-2	Ammonium Nitrate	440 mg/m³
7487-88-9	Magnesium Sulphate	1,300 mg/m³
7722-76-1	Ammonium phosphate monobasic	1,100 mg/m³
69012-64-2	Silica-Amorphous Silica fume	3,000 mg/m³
7783-20-2	Ammonium Sulfate	840 mg/m³
60-00-4	Edetic acid	200 mg/m³
7720-78-7	iron sulphate	250 mg/m³
10034-96-5	Manganese(II) Sulfate Monohydrate	90 mg/m³
10043-35-3	Boric Acid	830 mg/m³

7 Handling and Storage

· ***Handling***
· ***Precautions for safe handling:***
Avoid creating and breathing dust/fume/gas/mist/vapors/spray.
Ensure good ventilation/exhaustion at the workplace.
· ***Information about protection against explosions and fires:*** No special measures required.

· ***Conditions for safe storage, including any incompatibilities***
· ***Storage***
· ***Requirements to be met by storerooms and receptacles:*** No special requirements.
· ***Information about storage in one common storage facility:*** Not required.
· ***Further information about storage conditions:*** Keep receptacle tightly sealed.
· ***Specific end use(s):*** No further relevant information available.

8 Exposure Controls/Personal Protection

· ***Additional information about design of technical systems:*** No further data; see section 7.

· ***Control parameters:***
· ***Components with occupational exposure limits:***
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
At this time, the other constituents have no known exposure limits.

14807-96-6 Talc (Mg3H2(SiO3)4)	
PEL	Long-term value: 20 mppcf ppm (containing <1% Quartz)

(Contd. on page 5)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/14/2021 Reviewed on 06/14/2021

Trade Name: 5-0-31

REL	Long-term value: 2* mg/m³ *respirable dust; and <1% Quartz
TLV	Long-term value: 2* mg/m³ *as respirable fraction; E

· ***Additional information:*** The lists that were valid during the creation of this SDS were used as basis.

· ***Exposure controls:***
· ***Personal protective equipment***
· ***General protective and hygienic measures:***
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing and wash before reuse.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
· ***Breathing equipment:*** Not required.
· ***Protection of hands:***

Protective gloves

· ***Material of gloves:***
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.
· ***Penetration time of glove material:***
The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.
· ***Eye protection:***

Tightly sealed goggles

· ***Limitation and supervision of exposure into the environment:*** None

9 Physical and Chemical Properties

· ***Information on basic physical and chemical properties***
· ***General Information***
· ***Appearance:***

Form:	Granulate
Color:	Grey
· ***Odor:***	Odorless
· ***Odor threshold:***	Not determined.
· ***pH-value:***	Not determined.
· ***Change in condition***	
Melting point/Melting range:	Not determined.
· ***Flash point:***	None
· ***Flammability (solid, gaseous):***	Not determined.
· ***Ignition temperature:***	Not applicable

(Contd. on page 6)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/14/2021 Reviewed on 06/14/2021

Trade Name: 5-0-31

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not self-igniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**
Lower: Not determined.
Upper: Not determined.

· **Vapor pressure:** Not applicable.

· **Density @ 20 °C (68 °F):** 1.25 g/cm³ (10.4313 lbs/gal)

· **Bulk density:** 1,250 kg/m³
· **Relative density:** Not determined.
· **Vapor density:** Not applicable.
· **Evaporation rate:** Not applicable.

· **Solubility in / Miscibility with:**
Water: Fully miscible.
Soluble.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**
Dynamic: Not applicable.
Kinematic: Not applicable.

· **Solvent content:**
VOC content: 0.00 %

Solids content: 100.0 %

· **Other information:** No further relevant information available.

10 Stability and Reactivity

· **Reactivity:** No further relevant information available.
· **Chemical stability:** Product is stable under normal conditions.
· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
· **Possibility of hazardous reactions:** No dangerous reactions known.
· **Conditions to avoid:** No further relevant information available.
· **Incompatible materials:** No further relevant information available.
· **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological Information

· **Information on toxicological effects:**
· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**		
7778-80-5 Potassium Sulfate		
Oral	LD50	6,600 mg/kg (Rat)
Inhalative	LC50/96 hours	680 mg/l (Pimephales)
6484-52-2 Ammonium Nitrate		
Oral	LD50	2,217 mg/kg (Rat)

(Contd. on page 7)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/14/2021 Reviewed on 06/14/2021

Trade Name: 5-0-31

7487-88-9 Magnesium Sulphate		
Oral	LD50	>2,000 mg/kg (Rat)
Inhalative	LC50/4 h	>2,000 mg/l (Rabbit)
	LC50/96 hours	2,820 mg/l (Pimephales)
7722-76-1 Ammonium phosphate monobasic		
Oral	LD50	5,750 mg/kg (Rat)
Dermal	LD50	7,640 mg/kg (Rabbit)

· ***Primary irritant effect:***
· ***On the skin:*** Irritant to skin and mucous membranes.
· ***On the eye:*** Irritating effect.
· ***Additional toxicological information:***
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

· ***Carcinogenic categories:***
· ***IARC (International Agency for Research on Cancer):***
Group 1 - Carcinogenic to humans
Group 2A - Probably carcinogenic to humans
Group 2B - Possibly carcinogenic to humans
Group 3 - Not classifiable as to its carcinogenicity to humans
Group 4 - Probably not carcinogenic to humans

14807-96-6	Talc (Mg3H2(SiO3)4)	3
69012-64-2	Silica-Amorphous Silica fume	3

· ***NTP (National Toxicology Program):***
None of the ingredients are listed.

· ***OSHA-Ca (Occupational Safety & Health Administration):***
None of the ingredients are listed.

12 Ecological Information

· ***Toxicity:***

· ***Aquatic toxicity:***

7487-88-9 Magnesium Sulphate	
EC50	2,700 mg/l (Green algae)
	343.56 mg/l (Water flea)

· ***Persistence and degradability:*** No further relevant information available.
· ***Behavior in environmental systems:***
· ***Bioaccumulative potential:*** No further relevant information available.
· ***Mobility in soil:*** No further relevant information available.
· ***Additional ecological information:***
· ***General notes:***
Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.
· ***Results of PBT and vPvB assessment:***
· ***PBT:*** Not applicable.
· ***vPvB:*** Not applicable.
· ***Other adverse effects:*** No further relevant information available.

(Contd. on page 8)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/14/2021 Reviewed on 06/14/2021

Trade Name: 5-0-31

13 Disposal Considerations

· ***Waste treatment methods***
· ***Recommendation:***
Observe all federal, state and local environmental regulations when disposing of this material.

· ***Uncleaned packaging***
· ***Recommendation:*** Disposal must be made according to official regulations.
· ***Recommended cleansing agent:*** Water, if necessary with cleansing agents.

14 Transport Information

· ***UN-Number:***
· ***DOT, ADR/ADN, IMDG, IATA*** Non-Regulated Material
· ***UN proper shipping name:***
· ***DOT, ADR/ADN, IMDG, IATA*** Non-Regulated Material
· ***Transport hazard class(es):***

· ***DOT, ADR/ADN, ADN, IMDG, IATA***
· ***Class:*** Non-Regulated Material
· ***Packing group:***
· ***DOT, ADR/ADN, IMDG, IATA*** Non-Regulated Material
· ***Environmental hazards:*** Not applicable.
· ***Special precautions for user:*** Not applicable.
· ***Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:*** Not applicable.
· ***UN "Model Regulation":*** Non-Regulated Material

15 Regulatory Information

· ***Safety, health and environmental regulations/legislation specific for the substance or mixture:***
No further relevant information available.
· ***SARA (Superfund Amendments and Reauthorization):***

· ***Section 355 (extremely hazardous substances):***	
7720-78-7	iron sulphate

· ***Section 313 (Specific toxic chemical listings):***	
6484-52-2	Ammonium Nitrate
7783-20-2	Ammonium Sulfate
10034-96-5	Manganese(II) Sulfate Monohydrate

· ***TSCA (Toxic Substances Control Act):***		
7778-80-5	Potassium Sulfate	ACTIVE
6484-52-2	Ammonium Nitrate	ACTIVE
14807-96-6	Talc (Mg3H2(SiO3)4)	ACTIVE
7487-88-9	Magnesium Sulphate	ACTIVE
7722-76-1	Ammonium phosphate monobasic	ACTIVE
69012-64-2	Silica-Amorphous Silica fume	ACTIVE
7783-20-2	Ammonium Sulfate	ACTIVE
7757-93-9	Calcium Phosphate, dibasic	ACTIVE
60-00-4	Edetic acid	ACTIVE
7720-78-7	iron sulphate	ACTIVE

(Contd. on page 9)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/14/2021 Reviewed on 06/14/2021

Trade Name: 5-0-31

15708-41-5	EDTA feric sodium complex	ACTIVE
10043-35-3	Boric Acid	ACTIVE

· **Hazardous Air Pollutants**

10034-96-5	Manganese(II) Sulfate Monohydrate

· **California Proposition 65:**

· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **New Jersey Right-to-Know List:**

6484-52-2	Ammonium Nitrate
14807-96-6	Talc (Mg3H2(SiO3)4)
69012-64-2	Silica-Amorphous Silica fume
60-00-4	Edetic acid
7720-78-7	iron sulphate

· **New Jersey Special Hazardous Substance List:**

6484-52-2	Ammonium Nitrate	R3
14807-96-6	Talc (Mg3H2(SiO3)4)	CA

· **Pennsylvania Right-to-Know List:**

6484-52-2	Ammonium Nitrate
14807-96-6	Talc (Mg3H2(SiO3)4)
7783-20-2	Ammonium Sulfate
60-00-4	Edetic acid
7720-78-7	iron sulphate

· **Pennsylvania Special Hazardous Substance List:**

6484-52-2	Ammonium Nitrate	E
7783-20-2	Ammonium Sulfate	E
60-00-4	Edetic acid	E
7720-78-7	iron sulphate	E

· **Carcinogenic categories:**

· **EPA (Environmental Protection Agency):**

10034-96-5	Manganese(II) Sulfate Monohydrate	D
10043-35-3	Boric Acid	I (oral)

· **TLV (Threshold Limit Value established by ACGIH):**

14807-96-6	Talc (Mg3H2(SiO3)4)	A4
10043-35-3	Boric Acid	A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health):**

None of the ingredients are listed.

(Contd. on page 10)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/14/2021 Reviewed on 06/14/2021

Trade Name: 5-0-31

· ***GHS label elements***
The product is classified and labeled according to the Globally Harmonized System (GHS).
· ***Hazard pictograms:***

· ***Signal word:*** Warning

· ***Hazard-determining components of labeling:***
Ammonium Nitrate
Talc (Mg3H2(SiO3)4)
Magnesium Sulphate
Ammonium phosphate monobasic
· ***Hazard statements:***
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
· ***Precautionary statements:***

P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves / eye protection / face protection.
P302+P352	If on skin: Wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a poison center/doctor if you feel unwell.
P321	Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
P362+P364	Take off contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

· ***National regulations:***

The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances.

· ***Chemical safety assessment:*** A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· ***Contact:***
· ***Date of last revision/ revision number:*** 06/14/2021 / -
· ***Abbreviations and acronyms:***
ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road
ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation

(Contd. on page 11)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/14/2021 *Reviewed on 06/14/2021*

Trade Name: 5-0-31

IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety and Health
OSHA: Occupational Safety & Health Administration
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· **** Data compared to the previous version altered.***