



Florikan®
Controlled Release Fertilizer

14-5-8 NPK PRO

Guaranteed Analysis

Total Nitrogen (N)*	14%
8.0% Nitrate Nitrogen	
6.2% Ammoniacal Nitrogen	
Available Phosphate (P2O5)	5%
Soluble Potash (K2O)*	8%
Calcium (Ca)*.....	6.4%
Magnesium (Mg).....	2.10%
0.24% Water Soluble Magnesium (Mg)	
Sulfur (S).....	1.90%
1.90% Combined Sulfur (S)	
Chlorine (Cl) Not More Than.....	4.36%
Iron (Fe).....	1.06%
0.08% Chelated Iron (Fe)	
0.33% Water Soluble Iron (Fe)	
Manganese (Mn).....	0.07%
Molybdenum (Mo).....	0.001%

Derived From

Polymer Coated: Ammonium Nitrate, Calcium Nitrate, Muriate of Potash; Ammonium Nitrate, Ammonium Phosphate, Calcium Phosphate, Ammonium Polyphosphate, Potassium Sulfate, -Ferrous Sulfate, Iron Sucrate, Iron EDTA, Iron Citrate, Magnesium Sulfate, Magnesium Sucrate, Manganese Sucrate, Zinc Sucrate, Copper Sucrate, Sodium Borate, Sodium Molybdate, -Dolomitic Limestone, -

*All of the following nutrients have been polymer coated to provide 7.80% Slow Release Nitrogen (N), 4.6% Slow Release Potash (K2O), 4.0% Slow Release Calcium (Ca), and not more than 3.85% Slow Release Chlorine (Cl)

Do not apply if a heavy rain is expected.
Do not apply near water, storm drains or drainage ditches, or to any impervious surface.
Only apply to the intended application area.

About FlorikanCRF

This product is a commercial fertilizer used as plant food in agricultural crop production or wholesale nurseries. For specific application rates follow the recommendation of a qualified individual or institution, such as, but not limited to, a certified crop advisor, agronomist, university crop extension publication or apply according to recommendations in your approved nutrient management plan.

DIRECTIONS FOR USE - FlorikanCRF™ should be applied according to soil or growing media conditions and the specific nutrient requirements of the crop being grown. It is recommended that a soil analysis is done prior to incorporation of FlorikanCRF™. If the soil or growing media is sandy, and loose with good drainage (low Cation Exchange Capacity), a higher rate of the product should be used. For heavier, clay-type soils (high Cation Exchange Capacity) a lower rate of FlorikanCRF™ should be used.

NOTICE - Warranty of this product, either expressed or implied, is limited to a guarantee of the composition as shown on the label in as much as uses are beyond the seller's control. For the same reason, seller is not liable for any injury to living things, crops, soils or materials which may result from the use of this product.

UP TO: 90 DAYS

AVG MEDIA TEMPS					
60°		70°		80°	
150	5	120	4	90	3
Days	Months	Days	Months	Days	Months

GUARANTEED BY: F3547

Guaranteed by:
Florikan E.S.A
Address: 2404 Commerce Court - Bowling
Green, FL 33834

QA/QC Batch Number

Low Rate: Mid-West, Northeast, GA, KY, NC, TN **Medium Rate:** AL, GA, LA, MS, NC, OK, SC, TX **High Rate:** Coastal AL, MS, NC, SC, TX and all of FL
When incorporating fertilizer to seasonal color beds, optimal results will be achieved if incorporated at 4-6 inches in depth.

Broadcast Rates for seasonal color beds			
SQ FT	LOW	MED.	HIGH
25	0.25	0.375	0.5
50	0.5	0.75	1
75	0.75	1.125	1.5
100	1	1.5	2
150	1.5	2.25	3
200	2	3	4
250	2.5	3.75	5
500	5	7.5	10
750	7.5	11.25	15
1000	10	15	20

WARNING TO PURCHASER, THIS IS A DISCLAIMER. The performance warranty and/or release of this product, whether stated or implied, is null and void if improperly stored.

Heavy Metal Statement: Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.html>

CAUTION: KEEP OUT OF THE REACH OF CHILDREN
HARMFUL IF SWALLOWED. This product must be stored under cool and dry conditions.

Environmental Caution: As a precaution, fertilizer products should not be applied within 15 feet of any water body.

Caution: The application of fertilizer containing Molybdenum (Mo) may result in forage crops containing levels of Molybdenum which may be toxic to ruminant animals.

WARNING: This product may contain Boron (B) if it does contain Boron (B) it should be used according to directions only, especially on crops sensitive to Boron (B) uptake.

NOTE: Fertilizer products can be hygroscopic and may be affected by humidity and/or heat during improper storage. Please keep this fertilizer product in a dry condition and away from heat and moisture which may start release in the bag.

NOTE: Spread rates below 4#s per 1,000 (175# per Acre) can result in poor coverage.

INFORMATION: Apply to dry foliage. To move fertilizer from the Turf Canopy, water in with at least .15" of rain or irrigation, following application. To avoid picking up fertilizer do not collect clippings for at least the first mowing following application. *This product contains IRON, to avoid staining blow off concrete before irrigation or rain.

BEST MANAGEMENT PRACTICES We recommend that you follow the Green Industries BMP's at:
http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/BMP_Book_final.pdf

NOTE: low/med/high is crop specific information. HIGH refers to heavy feeding crop, LOW is for sensitive feeding crop.

SKU: 14-5-8-090-LND

U.S. STANDARD - NET WEIGHT 50 LB. (22.68 KG.)

Signal Word: NON-REGULATED MATERIAL

Hazard Statement: Harmful to aquatic life with long lasting effects

Precautionary Statement: Avoid release to the environment - dispose per US laws

Florikan E.S.A - 2404 Commerce Court - Bowling Green, FL 33834 - GAL-XeONE® is used under license from JR Simplot Company - Nutricote® is used under license from JCAM-Agri Ltd. and/or Sojitz America | PROFILE Products LLC is the leading manufacturer and distributor of controlled release fertilizer, and growing media substrates. No other single manufacturer provides more substrate options or a broader range of solutions than Profile. Profile is a registered trademark of PROFILE Products LLC. Florikan, and FlorikanCRF are trademarks of PROFILE Products LLC. © PROFILE Products LLC. (2/25)

Profile® Growing
Solutions